

The Wren by 3Si product line includes purpose-built camera, video, housing, and mount solutions for reliable video capture that provides actionable intelligence to enhance safety and security.

CLOSED LANE DETERRENT

Effectively prevents unauthorized cart exits with a streamlined, cost-efficient design that integrates effortlessly into your checkout lane system.



The Closed Lane Deterrent Device is purpose-built to prevent pushouts at closed checkout lanes with simplicity and cost effectiveness. Designed to seamlessly integrate into your existing lane closure system, this user-friendly device offers a discreet solution that complements any environment.

FEATURES

- Easily deployed and managed by store personne
- Battery operated device with long shelf life
- Use with existing lane closure chain systems
- Discrete, covert design blends with any environment
- Audible siren produces a 130dB sound

HOW OUR SOLUTION WORKS

- 1. Suspicious Activity: A thief approaches a closed checkout lane with a basket of valuables.
- 2. Closed Lane Breakaway Device: Wren's CLD device seals off the closed lane.
- 3. Built-In Alarm: The CLD emits a loud alarm when the clasp is broken, signaling a breach.
- **4. Apprehension:** The alarm alerts security and staff to enable apprehension and prosecution.



PROFESSIONAL SERVICES

 Expert support for location design and seamless implementation, ideal for large-scale deployments.

· Installation guides and specifications

· North America customer support



ABOUT 3Si

- 53 years of experience and specialized knowledge in the Security field
- · 24/7 US-based support
- Long-term relationships with the industry, built on trust and satisfaction
- Partnered with over 10,200 law enforcement agencies
- Over 19,000 criminals
 apprehended and \$150M in assets recovered

OUR END-TO-END SOLUTION



Camera & Video Hardware















Video Management Systems



CLD Product Specification	
Material	ABS
Color	Black
Environment	Indoor/Outdoor
Power	CR1632 x 2 (included)
Product Dimensions	3.4 x 1.22 x 0.52 in
Product Weight	0.64 Ounces
Siren Output	130dB
Operating Temperature	14°F/10°C - 104°F/40°C
Certification	UL, CE, Prop65, RoHS



Purchase of SKU#: CLD-SBC10-B includes:10 Pack of Black CLDs like the one pictured above

